

To attract birds provide
food, water, safety, shelter, good trees, security

Provide food in a definite place during the timing day birds are looking for it - now

early morning

late afternoon

early evening

want to have thorny plants near bird bath & feeding stations -

~~American Holly~~

Elderberry

Food for Birds - See Flowers & Trees Feb. 1960 p. 46

birds a part of the mystery & poetry of nature

A garden without birds would be a semi-desert from the aesthetic view don't alone

beauty of flowers
influence of flight
beauty of song

Economically important to
set aside noxious weeds - members of farm + fruit families
destroy injurious insects

water
Food + cover essential in attracting birds to the
Bittersweet - provides food + shelter

Uprooted - Protect -

Virginia Creeper - present berries for late food

Wild Grapes - valuable cover + food

Evergreen / Hemlock (divides, shelter) - Grouse like extract seeds from cones

Juniper (virginiana) (valuable in areas where cedar wattle not set a feather)

shelter

food - three feet eaten by half a hundred birds (robin, blue bird, yellow Catbird, Thrush, Thrush Finch, Pine Grosbeak)

Tree (corners flower beds) { 93 kinds of birds enjoy corners (Song Sparrow, Wood Thrush, Thrush, W. Bluebird, Brown Thrasher)

Shrub

(Amelanchier laevis) { flitter, orioles, cedar waxwing, veeries, robin
graffia}

Bronz aria biloba
Metandrophyllum

~~Box Elder Seed~~ - Evening Grosbeak - Rose
Aralia small dark berries chick 16 birds

~~Ornithoptera~~ - ~~small dark berries~~ ^{purple ft} ³⁴ birds of this (Fox Sparrow - Buff Throats
Wintergreen
Partridgeberry

Cornus alternifolia - purple ft - Cardinal, Cedar Waxwing, Vireo

Cornus amomum ?

Cornus racemosa - white fr. valuable for migrants

~~shrub?~~ *Vitis cordifolia* dark blue berries 30 or more birds - Yellow bellied Cuckoo

leaves } rose breasted grosbeak
fruits }

Tribulus - long purple ft (Cedar Waxwing) in winter

Lambertia cordata ^{attracts to} over 100 birds of birds - flicker, & other woodpeckers - Thrushes & Thrushes
Kingbird

Morus alba { birds like them greatly well - gather by more than 50 birds
or rufous } (Robin, Bluebird, Catbird, Thrush, Scarlet Tanager)

Ulmus americana - a favorite nesting tree of
Baltimore Oriole.

Beech - fruit attractive to Evening Grosbeaks - mid winter

~~Betula lutea~~ - fruit greatly loved by birds ^{purple ft} - attracts 50 birds

Sorbus americana - carries its fruit from July to late March - (Cedar Waxwing) Baltimore Oriole

Sorbus decora Evening & Pine Grosbeak - Robin Brown Thrasher
Catbird

{ *Crataegus virginiana* red fruit a great favorite of birds - furnishes nesting sites also .

.. *Dumetorum* small red fruit - early summer

.. *scrubrum* purple black fruit - fall

74 kinds of birds including

Kingbird, Oriole, Rose breasted grosbeak, Thrush, Robin, Wren, House Finch, Northern Mockingbird

Crataegus cornuta - fruit purple - with creases - fine grosbeaks - Purple finches,

Juniper
Cordata

Malus floribunda

Malus Arnoldiana - cedar waxwing

Malus formosana

Malus zumi (locally)

Bittersweet (Saponaria)
bifoliate } thin cones carry seeds liked by Pine Siskins, Redpolls, Goldfinches
leaves } wet soil
leaves } wet soil

Magnolia fuscogracilis - Raspberry - nearly 100 birds like it - Chickadees eat it all out.

Ilex opaca - under - side of

verticillata - take fall only wh

globose - the fat winter - body of - Chickadees - Tufted Titmouse - with

Quercus alba - staminate fls. eaten by Rose Breasted Grosbeak